| FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office | | | | Attorney Do | ocket Number 3477-89 | , | Serial No. 09/674,237 | |
|--|-----------------------|---|---------------------------------|--------------------------------------|---------------------------------------|------------------------------|--------------------------|----------------------------|
| LIST OF DOCUMENTS CITED BY APPLICANT | | | | | | F | ECEIVE | |
| (Use several sheets if necessary) | | | | | | IAN 1 7 200 | | |
| | ار ^{ین} 4 | | | i | Applicants: | Egan et al. | TEC | li li |
| JAN 1 4 2002 | | Filing Date: | Filing Date: July 24, 2001 | | CH CENTER 1600 Group | | | |
| TRADEM | KON. | | U. S | . PATENT DO | CUMENTS | | | 1646 |
| Examiner Initial | | Document Number | Date | | Name | Class | Subclass | Filing Date if Appropriate |
| 16° | 1 | US 5,717,067 A | 02-10-98 | Fazioli et al. | | | | |
| | | | FOREIC | ON PATENT D | OCUMENTS | L | L | |
| . | | Document Number | Date | | ountry | Class | Subclass | Translation Yes No |
| Thi | 2 | WO 96 31625 A | 10-26-96 | PCT | | | | |
| | Т | OTHER DOCU | MENTS (Inc | luding Author, | , Title, Date, Per | tinent Pages, | , Etc.) | |
| H. Riezman, P. G. Woodman, G. van Meer, M. Marsh. Molecular mechanisms of Endocytosis. Cell 91: 731-738, 1997. | | | | | | | | |
| 6 | 4 | S. L. Schmid. Clathrin-coated vesicle formation and protein sorting: an integrated process. Annu. Rev. Biochem. 66: 511-548, 1997. | | | | | | |
| 1 | 5 | M. S. Robinson. Coats and budding vesicles. Trends Cell. Biol. 7: 99-102, 1997. | | | | | | |
| • | 6 | D. E. Warnock, S. L. Schmid. Dynamin GTPase, a force-generating molecular switch. BioEssays 18: 885-893, 1996. | | | | | | |
| | 7 | R. Urrutia, J. R. Henley, T. Cook, M. A. McNiven. The dynamins: redundant or distinct functions for an expanding family of related GTPases? Proc. Natl. Acad. Sci. USA 94: 377-384, 1997. | | | | | | |
| • | 8 | P. Wigge, K. Kohler, Y. Vallis, C. A. Doyle, D. Owen, S. P. Hunt, H. T. McMahon. Amphiphysin Heterodimers: Potential Role in Clathrin-mediated Endocytosis. Molecular Biology of the Cell 8: 2003-2015, 1997. | | | | | | |
| | 9 | A. L. Munn, B. J. Stevenson, M. I. Geli, H. Riezman. end5, end6 and end7:mutations that cause actin delocalization and block the internalization step of endocytosis in Saccharomyces cerevisiae. Molecular Biology of the Cell 6: 1721-1742, 1995. | | | | | | |
| | 10 | O. Shupliakov, P. Low, D. Grabs, H. Gad, H. Chen, C. David, K. Takei, P. De Camilli, L. Brodin. Synaptic vesicle endocytosis impaired by disruption of dynamin-SH3 domain interactions. Science 276: 259-263, 1997. | | | | | | |
| • | 11 | P. Wigge, Y. Vallis, H. T. McMahon. Inhibition of receptor-mediated endocytosis by the amphiphysin SH3 domain. Current Biology 7: 554-560, 1997. | | | | | | |
| | 12 | H. McLauchlan, J. N | Newell, N. Mo | orrice, A. Osbo | orne, M. West, E. | . Smythe. A | novel role for | r Rab5-GDI in |
| 1-1 | 13 | P. J. Robinson, JM | Into clathrin- I. Sontag, JP | -coated pits. Co P. Liu, E. M. Fy | urrent Biology 8 vkse, C. Slaughte | 8: 34-45, 199 er H. McMal | 97. hon T.C. Sud | dhof Dymamin |
| +-> | | P. J. Robinson, JM. Sontag, JP. Liu, E. M. Fykse, C. Slaughter, H. McMahon, T. C. Sudhof. Dynamin GTPase regulated by protein kinase C phosphorylation in nerve terminals. Nature 365: 163-166, 1993. | | | | | | |
| + -1 | 14 | JP. Liu, A. T. R. Sim, P. J. Robinson. Calcineurin inhibition of Dynamin GTPase activity coupled to nerve terminal depolarization. Science 265: 970-973, 1994. A. Wilde, F. M. Brodsky. In vivo phosphorylation of Adaptors regulates their interaction with Clathrin. | | | | | | |
| N I | 15 | A. Wilde, F. M. Broo The Journal of Cell I | dsky. In vivc |) phosphorylati | on of Adaptors | regulates the | ir interaction | with Clathrin |

12/30/03

| | | | T | | | | |
|--|--|--|--------------------------|--|--|--|--|
| FORM PTO-14 | 449 U.S. Department of Commerce | Attorney Docket Number | Serial No. | | | | |
| | Patent and Trademark Office | 3477-89 | RECEIVE | | | | |
| LIST O | F DOCUMENTS CITED BY APPLICANT | | LIACIACI | | | | |
| SIPE | (Use several sheets if necessary) | | JAN 1 7 2002 | | | | |
| / 3 | CITA | Applicants: Egan et al. | CH CENTER 1600/29 | | | | |
| JAN 1 4 200 | ¥ 5 | | | | | | |
| STATE OF STA | , et s | Filing Date: July 24, 2001 | Group 1646 | | | | |
| R. Bauerfeind, K. Takei, P. De Camilli. Amphiphysin I is associated with coated endocytic intermediates and undergoes stimulation-dependent dephosphorylation in nerve terminals. J. Biol. Chem. 272: 30984-30992, 1997. | | | | | | | |
| | S. van Delft, R. Govers, G. J. Strous, A. J. Ver growth factor induces ubiquitination of Eps15. 1997. | S. van Delft, R. Govers, G. J. Strous, A. J. Verkleij, P. M. P. van Bergen en Henegouwen. Epidermal growth factor induces ubiquitination of Eps15. Journal of Biological Chemistry 272: 14013-14016, | | | | | |
| ` 1 | | JM. Galan, R. Haguenauer-Tsapis. Ubiquitin Lys63 is involved in ubiquitination of a membrane plasma | | | | | |
| . 1 | J. Terrel, S. Shih, R. Dunn, L. Hicke. A functi protein-coupled receptor. Molecular Cell 1: | J. Terrel, S. Shih, R. Dunn, L. Hicke. A function for monoubiquitination in the internalization of a G protein-coupled receptor. Molecular Cell 1: 193-202, 1998. | | | | | |
| 2 | R. Govers, P. van Kerkhof, A. L. Schwartz, G. | R. Govers, P. van Kerkhof, A. L. Schwartz, G. J. Strous. Linkage of the ubiquitin-conjugating system and the endocytic pathway in ligand-induced internalization of the growth hormone receptor. EMBO J. | | | | | |
| _ 2 | P. De Camilli, S. D. Emr, P. S. McPherson, P. traffic. Science 271: 1533-1539, 1996. | P. De Camilli, S. D. Emr, P. S. McPherson, P. Novick. Phosphoinositides as regulators in membrane | | | | | |
| . 2: | E. Kubler, H. Riezman. Actin and fimbrin are required for the internalization step of endocytosis in yeast. EMBO J. 12: 2855-2862, 1993. | | | | | | |
| . 2 | 3 H. Benedetti, S. Raths, F. Crausaz, H. Riezman the internalization step of endocytosis and for a 5: 1023-1037, 1994. | H. Benedetti, S. Raths, F. Crausaz, H. Riezman. The END3 gene encodes a protein that is required for the internalization step of endocytosis and for actin cytoskeleton organization in yeast. Mol. Biol. Cell | | | | | |
| 24 | M. I. Geli, H. Riezman. Role of Type I Myosin in receptor-mediated endocytosis in yeast. Science 272: 533-535, 1996. | | | | | | |
| , 2: | HY. Tang, M. Cai. The EH-domain-containing | HY. Tang, M. Cai. The EH-domain-containing protein Pan1 is required for normal organization of the actin cytoskeleton in Saccaromyces cerevisiae. Mol. Cell. Biol. 16: 4897-4914, 1996. | | | | | |
| 20 | V. Moreau, JM. Galan, G. Devilliers, R. Haguenauer-Tsapis, B. Winsor. The yeast Actin-related protein Arp2p is required for the internalization step of endocytosis. Molecular Biology of the Cell 8: 1361-1375, 1997. | | | | | | |
| 27 | B. Wendland, S. D. Emr. Panlp, Yeast eps15, | B. Wendland, S. D. Emr. Pan1p, Yeast eps15, functions as a multivalent adaptor that coordinates protein-protein interactions essential for endocytosis. Journal of Cell Biology 141: 71-84, 1998. | | | | | |
| , 28 | F. Fazioli, L. Minichiello, B. Matoskova, W. T. | F. Fazioli, L. Minichiello, B. Matoskova, W. T. Wong, P. P. Di Fiore. eps15, A novel tyrosine kinase substrate, exhibits transforming activity. Mol. Cell. Biol. 13: 5814-5828, 1993. | | | | | |
| . 29 | A. Benmerah, J. Gagnon, B. Begue, B. Megarbane, A. Dautry-Varsat, N. Cerf-Bensussan. The Tyrosine kinase substrate EPS15 is constitutively associated with the plasma membrane adaptor AP2. J. Cell Biol. | | | | | | |
| 30 | F. Tebar, T. Sorkina, A. Sorkin, M. Ericsson, T. | F. Tebar, T. Sorkina, A. Sorkin, M. Ericsson, T. Kirchausen. Eps15 Is a component of Clathrin-coated Pits and Vesicles and is located at the Rim of Coated Pits. Journal of Biological Chemistry 271: 28727- | | | | | |
| 31 | F. Tebar, S. Confalonieri, R. E. Carter, P. P. Di due to Homolphilic interaction of its Coiled-coil 15418, 1997. | l domain. Journal of Biological Chemistry | 272: 15413- | | | | |
| 32 | eps15R are essential components of the endocyt | ic pathway. Cancer Research 57: 5498-5: | 504, 1997. | | | | |
| 33 | A. Benmerah, C. Lamaze, B. Begue, S. L. Schmid, A. Dautry-Varsat, N. Cerf-Bensussan. AP-2/Eps15 interaction is required for receptor-mediated endocytosis. Journal of Cell Biology 140: 1055-1062, 1998. | | | | | | |
| , 34 | W T Ware C Calman 1 A E C Link | Romano, P. Castagnino, P. G. Pelicci, P. P. ceptor tyrosine kinase substrate EPS15 and | Di Fiore. A conserved in | | | | |

| FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office | | | | Attorney Docket Number 3477-89 | Serial No. 09/674,237 | | | |
|--|---------|----------------------------------|--|--|--------------------------|------|--|--|
| LIST OF DOCUMENTS CITED BY APPLICANT (Use several sheets if necessary) | | | | | RECEIV | Έ | | |
| (Use several sheets if necessary) | | ose several sheets if necessary) | Applicants: Egan et al. | | 002 | | | |
| HAL | 1 1 20 | or E | · | - | TECH CENTER 1 | 300/ | | |
| | & TRAUS | 4 | | Filing Date: July 24, 2001 | Group 1646 | | | |
| | a IHAU | 1 | evolution. Proc. Natl. Acad. Sci. USA 92: 93 | 530-9534, 1995. | | | | |
| P. P. Di Fiore, P. G. Pelicci, A. Sorkin. EH: a novel protein-protein interaction domain potentially involved in intracellular sorting. Trends. Biochem. Sci. 22: 411-413, 1997. | | | | | | | | |
| | _ | 36 | C. Schumacher, B. S. Knudsen, T. Ohuchi, P. domain of Crk binds specifically to a conserve Biological Chemistry 270: 15341-15347, 199 | P. Di Fiore, R. H. Glassman, H. Hanafusa. d proline-rich motif in Eps15 and Eps15R 95. | . Journal of | | | |
| | ţ | 37 | | | | | | |
| | • | 38 | G. Iannolo, A. E. Salcini, I. Gaidarov, O. B. J. Goodman, J. Baulida, G. Carpenter, P. G. Pelicci, P. P. Di Fiore, J. H. Keen. Mapping of the molecular determinants involved in the interaction between Eps15 and AP2. Cancer Research 57: 240-245, 1997. | | | | | |
| | • | 39 | L. Coda, A. E. Salcini, S. Confalonieri, G. Pelicci, T. Sorkina, A. Sorkin, P. G. Pelicci, P. P. Di Fiore. Eps15R is a tyrosine kinase substrate with characteristics of a docking protein possibly involved in coated pits-mediated internalization. Journal of Biological Chemistry 273: 3003-3012, 1998. | | | | | |
| | | 40 | B. Wendland, J. M. McCaffery, Q. Xiao, S. D. Emr. A Novel Fluorescence-activated Cell Sorter-based screen for yeast Endocytosis mutants identifies a yeast homologue of mammalian eps15. J. Cell Biol. 135: 1485-1500, 1996. | | | | | |
| | • | 41 | S. Raths, J. Rohrer, F. Crausaz, H. Riezman. end3 and end4: Two mutants defective in recentor-mediated | | | | | |
| | ` | 42 | and fluid-phase endocytosis in Saccaromyces cerevisiae. The Journal of Cell Biology 120: 55-65, 1993. H. Y. Tang, A. Munn, M. Cai. EH domain proteins Pan1p and End3p are components of a complex that plays a dual role in organization of the cortical actin cytoskeleton and endocytosis in Saccharomyces cerevisiae. Mol. Cell. Biol. 17: 4294-4304, 1997. | | | | | |
| | ٠ | 43 | T. Zoladek, A. Tobiasz, G. Vaduva, M. Boguta, N. C. Martin, A. K. Hopper. MDP1, a Saccharomyces cerevisiae gene involved in mitochondrial/cytoplasmic protein distribution, is identical to the ubiquitin | | | | | |
| | • | 44 | protein ligase gene RSP5. Genetics 145: 595-603, 1997. P. S. McPherson, E. P. Garcia, V. I. Slepnev, C. David, X. Zhang, D. Grabs, W. S. Sossin, R. Bauerfeind, | | | | | |
| | ۲ | 45 | Y. Nemoto, P. De Camilli. A presynaptic inositol-5-phosphatase. Nature 379: 353-357, 1996. A. E. Salcini, S. Confalonieri, M. Doria, E. Santolini, E. Tassi, O. Minencova, G. Cesareni, P. G. Pelicci, P. P. Di Fiore. Binding specificty and in vivo targets of the EH domain, a novel protein-protein interaction module. General & Development 11, 2020 100 100 100 100 100 100 100 100 10 | | | | | |
| | ٠, | 46 | interaction module. Genes & Development 11: 2239-2249, 1997. I. Gout, R. Dhand, I. D. Hiles, M. J. Fry, G. Panayotou, P. Das, O. Truong, N. F. Totty, J. Hsuan, G. W. Booker, I. D. Campbell, M. D. Waterfield. The GTPase dynamin binds to and is activated by a subset of SH3 domains. Cell 75: 25-36, 1993. | | | | | |
| | • | 47 | C. David, P. S. McPherson, O. Mundigl, P. De Camilli. A role of amphiphysin in synaptic vesicle endocytosis suggested by its binding to dynamin in nerve terminals. Proc. Natl. Acad. Sci. USA 93: 331-335, 1996. | | | | | |
| | | 48 | M. H. Butler, C. David, GC. Ochoa, Z. Freyberg, L. Daniell, D. Grabs, O. Cremona, P. De Camilli. Amphiphysin II (SH3P9;BIN1), a member of the Amphiphysin/Rvs family, is concentrated in the cortical cytomatrix of axon initial segments and Nodes of Ranvier in brain and around T Tubules in skeletal muscle. Journal of Cell Biology 137: 1355-1367, 1997. | | | | | |
| | , | 49 | C. Leprince, F. Romero, D. Cussac, B. Vayssiere, R. Berger, A. Tavitian, J. H. Camonis. A new member of the Amphiphysin family connecting endocytosis and signal transduction pathways. J. Biol. Chem. 272: 15101-15105, 1997. | | | | | |
| \overline{V} | 4 | 50 | A. R. Ramjaun, K. D. Micheva, I. Bouchelet, P. nerve terminal-enriched amphiphysin isoform. J | S. McPherson. Identification and characte Biol, Chem. 272: 16700-16706, 1997 | rization of a | | | |

| FORM PTO | O-1449 Pa | U.S. Department of Commerce tent and Trademark Office | Attorney Docket Number 3477-89 | Serial No. 09/674,237 | | |
|---|--|---|--|-----------------------------------|--|--|
| LIS | r of d | OCUMENTS CITED BY APPLICANT | | | | |
| 611 | e (| Use several sheets if necessary) | | | | |
| (| L 200 | 7 1 | Applicants: Egan et al. | | | |
| JAN 1 1 2002 A. Wesp, L. Hicke, J. Palecek, R. Lombardi, T. with Actin-associated proteins for endocytosis | | | Filing Date: July 24, 2001 | Group 1646 | | |
| The T | HAREM | A. Wesp, L. Hicke, J. Palecek, R. Lombardi, 7 with Actin-associated proteins for endocytosis Cell 8: 2291-2306, 1997. | F. Aust, A. L. Munn, H. Riezman. End4p/S in Saccharomyces cerevisiae. Molecular I | Sla2p Interacts Biology of the | | |
| \ . | 52 | E. de Heuvel, A. W. Bell, A. R. Ramjaun, K. V. major Synaptojanin-binding proteins in the bra | Wong, W. S. Sossin, P. S. McPherson. Idenin. J. Biol. Chem. 272: 8710-8716, 1997 | ntification of the | | |
| , | N. Ringstad, Y. Nemoto, P. De Camilli. The SH3p4/SH3p8/SH3p13 protein family: binding partners for synaptojanin and dynamin via a Grb2-like Src homology 3 domain. Proc. Natl. Acad. Sci. USA 94: 8569-8574, 1997. | | | | | |
| - • | Z. Wang, M. F. Moran. Requirement for the Adapter protein Grb2 in EGF receptor endocytosis. S 272: 1935-1939, 1996. | | | | | |
| | A. B. Sparks, N. G. Hoffman, S. J. McConnel, D. M. Fowlkes, B. K. Kay. Cloning of ligand targets: Systematic isolation of SH3 domain-containing proteins. Nature Biotechnology 14: 741-744, 1996. | | | | | |
| | 56 | | | | | |
| | 57 | H. Stenmark, C. Bucci, M. Zerial. Expression of Rab GTPases using recombinant vaccinia virus. Meth. Enzymol. 257: 155-164, 1995. | | | | |
| | 58 | S. van Delft, C. Schumacher, W. Hage, A. J. Verkleij, P. M. P. van Bergen en Henegouwen. Association and Colocalization of Eps15 with Adaptor Protein-2 and Clathrin. The Journal of Cell Biology 136: 811-821, 1997. | | | | |
| | 59 | M. Toth, J. Grimsby, G. Buzsaki, G. P. Donovan. Epileptic seizures caused by inactivation of a novel gene, jerky, related to centromere binding protein-B in transgenic mice. Nature Genetics 11: 71-75, 1995. | | | | |
| | 60 | Roos, J. and Kelly, R. B. Dap160, a Nerual-specific Eps115 homology and multiple SH3 domain- | | | | |
| , | 61 | containing protein that interacts with Drosophila Dynamin. J. Biol. Chem. 273, 19108-19119, 1998. Ren, R., Mayer, B.J. Cicchetti, P. and Baltimore, D. Identification of a Ten-Amino Acid Proline-Rich | | | | |
| \ | 62 | SH3 Binding Site. Science, 259, 1157-1161, 1993. Hall, A. Rho GTPases and the actin cytoskeleton. Science, 279, 509-514, 1998. | | | | |
| , | 63 | Nalefski, E.A. and Falke, J.J. The C2 domain calcium-binding motif: Structural and functional diversity. <i>Protein Science</i> . 5, 2375-2390, 1996. | | | | |
| | 64 | Chen, H., et al., Epsin is an EH-domain binding protein implicated in clathrin-mediated endocytosis. Nature, 394, 793-797. | | | | |
| • | 65 | Stukenberg, P.T. et al., Systematic identification of mitotic phosphoproteins. Current Biology, 7, 338-348, 1997. | | | | |
| * | 66 | Tang, H. Y. and Cai, M. The EH-domain containing protein Pan1 is required for normal organization of the actin cytoskeleton in Saccaromyces cerevisiae. Mol. Cell. Biol. 16, 4897-4914, 1996. | | | | |
| | 67 | DATABASE EMVRT E.M.B.L. Databases, Accession Number: AF032118, 27 November 1997. | | | | |
| ., | 68 | Yamabhai, M. et al. (1998) "Intersectin, a novel adaptor protein with two Eps15 homology and five Src homology 3 domains" JOURNAL OF BIOLOGICAL CHEMISTRY, v. 273, no. 47, pp. 31401-31407. | | | | |
| 3 | 69 | DATABASE EMEST24, E.M.B.L. Databases, Accession Number: AA061808, 24 September 1996, Marra, M. et al. | | | | |
| i i | 70 | DATABASE EMEST23, E.M.B.L. Databases, Accession Number: AA217338, 11 February 1997, Marra M. et al. | | | | |
| V | 71 | Sengar, A. et al., (1999), "The EH and SH3 dom dynamin and Eps15" EMBO JOURNAL, v. 18, | nain Ese proteins regulate endocytosis by li | nking to | | |

DAVIS

12/30/03

| Attorney Docket Number 3477-89 | Serial No. 09/674,237 | | | | |
|--|---|--|--|--|--|
| | | | | | |
| | | | | | |
| Applicants: Egan et al. | | | | | |
| Filing Date: July 24, 2001 | Group 1646 | | | | |
| a human intersectin (ITSN) protein are prod GENOMICS v 53 no 3 no 369.376 | uced by brain- | | | | |
| Salcini A. et al. "Binding specificity and in vivo targets of the EH domain, a novel protein-protein interaction module" (1997) GENES & DEVELOPMENT, v. 11, no. 17, pp. 2239-2249. | | | | | |
| 201 M2(V1, V. 11, 110, 17, pp. 2237-2249, | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Applicants: Egan et al. Filing Date: July 24, 2001 a human intersectin (ITSN) protein are prod GENOMICS, v. 53, no. 3, pp. 369-376. | | | | |